



BLUE UNIFLEX AIR HOSE

PART No	SIZE I.D.	O.D.	WORKING PRESSURE	ROLL LENGTH
13UF04	1/4"	12.9mm	230psi	20, 100 & 300m
13UF05	5/16"	14.6mm	230psi	20, 100 & 300m
13UF06	3/8"	16.6mm	230psi	10, 20, 30, 40, 50, 100 & 300m
13UF08	1/2"	19.1mm	230psi	20, 50, 100 & 200m
13UF12	3/4"	31.5mm	230psi	20 & 100m
13UF16	1"	33.5mm	230psi	20m



Blue Uniflex is a very tough and abrasive resistant hose while also being extremely flexible, especially in cold conditions.

CLEAR MULTI-PURPOSE HOSE

PART No	SIZE I.D.	O.D.	WORKING PRESSURE	ROLL LENGTH
13MP04	1/4"	10.4mm	230psi	20m
13MP05	5/16"	12.4mm	230psi	20m
13MP06	3/8"	15.2mm	230psi	20m
13MP08	1/2"	18.1mm	230psi	20m
13MP10	5/8"	22.0mm	230psi	20m
13MP12	3/4"	27.6mm	230psi	20m
13MP16	1"	33.5mm	230psi	20m




100m Rolls available on request.

CMP is a clear braided multipurpose PVC hose suitable for air, water and petrol based fluids. Also suitable for food applications. Meets AS2070 requirements.

CLEAR VINYL TUBING

PART No	SIZE I.D.	O.D.	WORK PRESSURE
13CVT02	1/8" (3mm)	5mm	116psi
13CVT03	3/16" (5mm)	8mm	101psi
13CVT04	1/4" (6mm)	9mm	87psi
13CVT05	5/16" (8mm)	11mm	72psi
13CVT06	3/8" (10mm)	13mm	58psi
13CVT08	1/2" (12.5mm)	15.5mm	58psi
13CVT10	5/8" (16mm)	19mm	58psi
13CVT12	3/4" (19mm)	23mm	43psi
13CVT16	1" (25mm)	31mm	43psi



All sizes are sold in 30m Rolls.

CVT is a clear food grade tubing.



RUBBER MULTIPURPOSE HOSE

PART No	I.D.	O.D.	WORK PRESSURE
13MPT04	1/4"	13.5mm	300 psi
13MPT05	5/16"	15.9mm	300 psi
13MPT06	3/8"	17.5mm	300 psi
13MPT08	1/2"	21.4mm	300 psi
13MPT10	5/8"	25.4mm	300 psi
13MPT12	3/4"	28.6mm	300 psi
13MPT16	1"	37.3mm	300 psi



Red cover with a black nitrile tube. Suitable for air, water, fuel etc. Temperature range: -29°C to 99°C.

RUBBER HOSES

IFS



RUBBER AIR BRAKE HOSE - SAE J1402

Continental

Temperature range: -40°C to 100°C.



PART No	I.D.	O.D.	WORK PRESSURE	COIL LENGTH
13ABH06	3/8	19mm	225psi	Per Metre
13ABH06-152	3/8	19mm	225psi	152m Spool
13ABH08-16	1/2	22mm	225psi	16m Coil
13ABH08-75	1/2	22mm	225psi	75m Spool
13ABH08-152	1/2	22mm	225psi	152m Spool
13ABH12	3/4	30mm	350psi	Per Metre
13ABH12-15	3/4	30mm	350psi	15m Coil

AIRBRAKE HOSE ASSEMBLIES



ACCESSORIES

- All hoses are 1/2" I.D.
- Varying lengths from 18" to 48"
- 3/8" NPT male ends. One end is swivel.



Wall mounted display stands available.

LENGTH	PART No	LENGTH	PART No
18"	13ABHA18	30"	13ABHA30
20"	13ABHA20	32"	13ABHA32
24"	13ABHA24	36"	13ABHA36
26"	13ABHA26	40"	13ABHA40
28"	13ABHA28	48"	13ABHA48



RUBBER FUEL HOSE SAE J30R7

Continental

Nitrile inner tube




Temperature range: -40°C to 125°C.



PART No	I.D.	O.D.	WORK PRESSURE
13FL03-7	3/16"	10.3mm	50 psi
13FL04	1/4"	12.7mm	50 psi
13FL05	5/16"	14.3mm	50 psi
13FL06	3/8"	15.9mm	50 psi
13FL08	1/2"	19.8mm	35 psi

Do not use on fuel injection engines.

PVC AIR HOSE ASSEMBLIES

COUPLING STYLE	HOSE LENGTH	PART No
 RYCO STYLE	10m	13UF06RC-10
	20m	13UF06RC-20
	30m	13UF06RC-30
 NITTO STYLE	10m	13UF06NC-10
	20m	13UF06NC-20
	30m	13UF06NC-30
 1/4bsp MALE	20m	13UF06P3-20
	30m	13UF06P3-30




Made from 3/8" Super Uniflex hose, assembled with your choice of Ryco or Nitto style couplings or 1/4bsp male ends. Fittings are crimped on to provide a more secure and smooth profile.

SPIDER HOSES TYRE INFLATION HOSE ASSEMBLIES

Enables the inflation of multiple tyres simultaneously

- Available in 4 legs or 6 legs
- Each hose is 2m in length
- Angle and straight chucks supplied
- 1000kpa (145psi) gauge
- The gauge comes with a rubber protective shroud. This will protect the gauge against accidental damage.



PART No	DESCRIPTION
13-SPIDER4-S	4 Arm Spider c/w Schroud
13-SPIDER6-S	6 Arm Spider c/w Schroud

HEAVY DUTY RUBBER AIR HOSE COMPLETE WITH CLAW COUPLINGS

Heavy duty, yellow, rubber air hose. Abrasive, heat and UV resistant.

Working Pressure: 200PSI
Temperature: -25°C to 75°C



PART No	DESCRIPTION
13AW12CC-10	3/4" I.D. x 10m Hose Assembly
13AW12CC-20	3/4" I.D. x 20m Hose Assembly
13AW16CC-10	1" I.D. x 10m Hose Assembly
13AW16CC-20	1" I.D. x 20m Hose Assembly